

## 182 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	18'2"	5.59 m
Beam	8'0"	2.44 m
Fuel capacity	56 gal	212 L
Draft Up	15"	38 cm
Draft Down	32"	81 cm
Maximum Capacity	2,000 lbs	907 kg
Persons Capacity	8	7
Approx. Boat Weight	2200 lbs	998 kg
Approx. Boat & Engine Weight	2750 lbs	1247 kg
Max HP	150 hp	112 kw
Deadrise	19°	19°
Bridge Clearance	5'10"	1.78 m
Bridge Clearance w/T-Top	7'3"	2.21 m
Keel to Top of T-Top	8'6"	2.59 m
Keel to Top of Windshield	7'1"	2.16 m
Trailer Height w/T-Top	10'1"	3.07 m
Trailer Height w/o T-Top	8'8"	5.69 m

### KEY SALES FEATURES

- Baitwell, Fwd Aquarium Style
- Extensive Bow Casting Platform
- Spacious Console Seating
- Porta Pottie, Optional
- Removable Windshield for Storage
- Billet Gauge Switch Panel
- Flip-Up Jump Seats
- Rod Holder / Drink Holder Combos, Optional
- Scarab Offshore Package, Optional
- Ski Tow Pylon, Optional

### POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Mercury® 90EXLPT CT 4S	90	67	2600	1180
Mercury® 115EXLPT 4S	115	86	2600	1180
Mercury® 150XL 4S	150	112	2700	1225
Yamaha® F90XB	90	67	2600	1180
Yamaha® F115XB	115	86	2625	1190
Yamaha® F150XB	150	112	2750	1250

### PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury® 90EXLPT CT 4S	15x15	38x38	SST	32-35	51-56	212	341
Mercury® 115EXLPT 4S	13.4x15	34x38	AL	35-38	56-61	228	367
Mercury® 150XL 4S	14.5x17	37x43	SST	42-46	68-74	202	325
Yamaha® F90XB	13.5x15	34x38	AL	32-35	51-56	273	439
Yamaha® F115XB	13.5x16	34x41	AL	35-38	56-61	252	406
Yamaha® F150XB	14.25x17	36x43	SST	42-46	68-74	223	359

### FUEL FLOW DATA - 182F - MERCURY® 90EXLPT CT 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	4
2000 rpm	6	10	2	6
2500 rpm	7	11	2	8
3000 rpm	8	13	3	11
3500 rpm	10	16	5	18
4000 rpm	18	30	5	19
4500 rpm	23	37	6	22
5000 rpm	27	44	7	26
5500 rpm	31	49	8	30
WOT	33	53	9	32

**FUEL FLOW DATA - 182F - MERCURY® 115EXLPT 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	<b>6</b>	9	<b>1</b>	3
2000 rpm	<b>7</b>	11	<b>1</b>	5
2500 rpm	<b>8</b>	12	<b>2</b>	9
3000 rpm	<b>9</b>	14	<b>3</b>	13
3500 rpm	<b>11</b>	17	<b>5</b>	17
4000 rpm	<b>20</b>	33	<b>5</b>	18
4500 rpm	<b>26</b>	41	<b>6</b>	22
5000 rpm	<b>30</b>	48	<b>7</b>	28
5500 rpm	<b>34</b>	54	<b>9</b>	35
WOT	<b>36</b>	58	<b>11</b>	41

**FUEL FLOW DATA - 182F - MERCURY® 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	<b>7</b>	11	<b>1</b>	4
2000 rpm	<b>8</b>	13	<b>2</b>	7
2500 rpm	<b>9</b>	15	<b>3</b>	12
3000 rpm	<b>10</b>	17	<b>5</b>	17
3500 rpm	<b>13</b>	20	<b>7</b>	26
4000 rpm	<b>24</b>	39	<b>6</b>	24
4500 rpm	<b>30</b>	49	<b>8</b>	30
5000 rpm	<b>36</b>	57	<b>10</b>	38
5500 rpm	<b>40</b>	65	<b>13</b>	48
WOT	<b>43</b>	69	<b>15</b>	55

**FUEL FLOW DATA - 182F - YAMAHA® F90XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	<b>4</b>	7	<b>1</b>	3
2000 rpm	<b>5</b>	9	<b>1</b>	4
2500 rpm	<b>6</b>	10	<b>2</b>	7
3000 rpm	<b>7</b>	12	<b>3</b>	10
3500 rpm	<b>10</b>	15	<b>4</b>	15
4000 rpm	<b>19</b>	30	<b>4</b>	14
4500 rpm	<b>24</b>	39	<b>5</b>	17
5000 rpm	<b>28</b>	45	<b>6</b>	22
5500 rpm	<b>31</b>	50	<b>7</b>	28
WOT	<b>34</b>	55	<b>9</b>	32

**FUEL FLOW DATA - 182F - YAMAHA® F115XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	<b>5</b>	8	<b>1</b>	3
2000 rpm	<b>6</b>	10	<b>1</b>	5
2500 rpm	<b>7</b>	11	<b>2</b>	8
3000 rpm	<b>8</b>	13	<b>3</b>	12
3500 rpm	<b>11</b>	17	<b>5</b>	17
4000 rpm	<b>21</b>	33	<b>5</b>	17
4500 rpm	<b>27</b>	43	<b>6</b>	21
5000 rpm	<b>31</b>	50	<b>7</b>	26
5500 rpm	<b>35</b>	56	<b>9</b>	33
WOT	<b>37</b>	60	<b>10</b>	38

**FUEL FLOW DATA - 182F - YAMAHA® F150XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	<b>6</b>	9	<b>1</b>	5
2000 rpm	<b>7</b>	11	<b>2</b>	7
2500 rpm	<b>8</b>	12	<b>3</b>	12
3000 rpm	<b>11</b>	18	<b>5</b>	18
3500 rpm	<b>22</b>	35	<b>5</b>	20
4000 rpm	<b>27</b>	43	<b>6</b>	24
4500 rpm	<b>32</b>	51	<b>8</b>	30
5000 rpm	<b>36</b>	58	<b>10</b>	37
5500 rpm	<b>40</b>	65	<b>13</b>	49
WOT	<b>44</b>	70	<b>16</b>	59

## 182 FISHERMAN / STANDARDS

### HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow floor storage
- Bow storage
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

### COCKPIT

- Bait well/live well
- Beverage holder(s)
- Cockpit Interior
  - Carbon Fiber, Cognac, Neutral w/ black accent, Seaside
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
  - Self bailing cockpit

### HELM

- 12 volt receptacle
- Steering Wheel w/ knob, stainless steel

### ENGINE / SYSTEMS

- Battery tray, w/ switch
- Bilge pump, automatic

### CONSOLE

- Changing room
- Windscreen, console Removable

### TRAILER

- Wellcraft custom trailer, single axle w/brakes Galv/Gatorhyde

## 182 FISHERMAN / OPTIONS

### HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, solid color hull or two-tone:
  - Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
  - Black/Atomic, Black/Passion Red, Black/White
- Rod holders, pair, \*requires T-top (clamp on)
- Underwater lights

### TOW SPORTS

- Ski Tow, removable pylon

### COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Cooler, under leaning post (removable)
- Leaning post, backrest, removable/folding
- Transom cutting board w/tool Holders

### ENTERTAINMENT

- Fusion Stereo:
  - AM/FM w/Bluetooth\*, USB & MP3 port, Speakers

### HELM

- Compass
- GPS plotter w/depth sounder

### ENGINE / SYSTEMS

- Battery charger
- Battery charger w/trolling motor pre-wire
- Battery on/off switch
- Down rigger pre-wire
- Hydraulic steering (std on 150 hp and up)

- Hydraulic tilt steering (90 & 115 hp only)
- Raw water wash down
- Trim tabs
- Trolling motor pre-wire

### CONSOLE

- Head, porta pottie (NA Canada)
- Head, pump-out

### T-TOPS

- T-Top canvas enclosure

### CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

### TRAILER

- EZ-loader aluminum w/brakes & spare
- Spare tire & wheel
- Wheels, aluminum

### BOW SEATING PACKAGE

- Bow seat cushions

### MAT PACKAGE

- Bow pads
- Coaming pad
- Head door pad
- Helm footrest mat

### SCARAB OFFSHORE PACKAGE

- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Upgrade leaning post w/backrest

### STAINLESS STEEL UPGRADE PACKAGE

- Grab handles
- Cleats-pull up
- Beverage holders
- Additional aft rod, beverage holders (2)

- Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

- Specifications, options, and equipment are subject to change without notice.