

202 FISHERMAN



SPECIFICATIONS	US	METRIC
L.O.A.	20'4"	6.2 m
Beam	8'6"	2.54 m
Fuel capacity	56 gal	212 L
Draft Up	17"	43 cm
Draft Down	33"	84 cm
Maximum Capacity	2350 lbs	1066 kg
Persons Capacity	8	TBD
Approx. Boat Weight	2650 lbs	1202 kg
Approx. Boat & Engine Weight	3100 lbs	1406 kg
Max HP	200 hp	150 kw
Deadrise	19°	19°
Bridge Clearance	5'8"	1.73 m
Bridge Clearance w/T-Top	7'4"	2.24 m
Keel to Top of T-Top	8'6"	2.59 m
Keel to Top of Windshield	7'1"	2.16 m
Trailer Height w/T-Top	10'1"	3.07 m
Trailer Height w/o T-Top	8'8"	2.64 m

KEY SALES FEATURES

- Baitwell, Fwd Aquarium Style
- Extensive Bow Casting Platform & Storage
- Spacious Console Seating
- Porta Pottie, Optional
- Removable Windshield for Storage
- Billet Gauge Switch Panel
- Flip-Up Jump Seats
- Rod Holder / Drink Holder Combos, Optional
- Scarab Offshore Package, Optional
- Ski Tow Pylon, Optional

POWER RATINGS & WEIGHTS

Engine Type	Propshaft Power		Boat & Engine Weights	
	HP	KW	LBS	KG
Mercury® 115EXLPT CT 4S	115	86	3075	1395
Mercury® 150XL 4S	150	112	3150	1429
Mercury® 200XL Verado	200	149	3225	1463
Yamaha® F115XB	115	86	3100	1406
Yamaha® F150XB	150	112	3200	1451
Yamaha® F200XB	200	149	3200	1451

PERFORMANCE

Power HP/KW	Propeller (Dia x Pitch)		Type	Top Speed		Cruise Range	
	IN	CM		MPH	KPH	MI	KM
Mercury® 115EXLPT CT 4S	15x17	38x43	AL	34-37	55-60	223	359
Mercury® 150XL 4S	14.5x15	37x38	SS	39-42	63-68	183	295
Mercury® 200XL Verado	15.5x17	39x43	SS	43-46	69-74	149	240
Yamaha® F115XB	13.625x14	35x36	AL	34-37	55-60	327	526
Yamaha® F150XB	14.5x15	37x38	SS	39-42	63-68	223	359
Yamaha® F200XB	14.5x15	37x38	SS	43-46	69-74	240	386

FUEL FLOW DATA - 202F - MERCURY® 115 EXLPT CT 4S

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	4
2000 rpm	7	10	1	5
2500 rpm	8	12	2	8
3000 rpm	10	16	3	11
3500 rpm	15	24	4	15
4000 rpm	21	34	5	19
4500 rpm	25	40	6	23
5000 rpm	29	46	7	28
5500 rpm	32	52	9	34
WOT	36	58	11	41

**FUEL FLOW DATA - 202F - MERCURY® 150XL 4S**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	6	9	1	5
2000 rpm	7	12	2	7
2500 rpm	9	14	3	11
3000 rpm	11	18	4	15
3500 rpm	17	27	5	20
4000 rpm	23	37	7	25
4500 rpm	28	45	8	31
5000 rpm	32	52	10	37
5500 rpm	36	58	12	46
WOT	40	64	15	55

FUEL FLOW DATA - 202F - MERCURY® 200XL VERADO

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	7	10	2	7
2000 rpm	8	13	3	10
2500 rpm	10	15	4	16
3000 rpm	12	20	6	21
3500 rpm	19	30	7	28
4000 rpm	26	42	9	35
4500 rpm	31	50	11	43
5000 rpm	36	58	14	52
5500 rpm	40	65	17	63
WOT	45	72	20	76

FUEL FLOW DATA - 202F - YAMAHA® F115XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	8	1	3
2000 rpm	6	9	1	5
2500 rpm	7	11	2	7
3000 rpm	9	15	2	9
3500 rpm	18	30	3	11
4000 rpm	23	37	4	14
4500 rpm	26	42	5	18
5000 rpm	30	48	6	24
5500 rpm	33	53	8	31
WOT	36	57	10	38

**FUEL FLOW DATA - 202F - YAMAHA® F150XB**

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	5	9	1	5
2000 rpm	7	10	2	8
2500 rpm	7	12	3	11
3000 rpm	10	16	4	15
3500 rpm	21	33	5	18
4000 rpm	26	41	6	24
4500 rpm	29	47	8	30
5000 rpm	33	53	10	39
5500 rpm	37	59	14	54
WOT	40	64	16	62

FUEL FLOW DATA - 202F - YAMAHA® F200XB

Engine Speed - RPM	Boat Speed		Fuel Flow	
	MPH	KPH	GPH	LPH
1500 rpm	6	10	1	5
2000 rpm	7	12	2	8
2500 rpm	8	13	3	11
3000 rpm	11	18	4	16
3500 rpm	23	37	5	19
4000 rpm	29	46	7	25
4500 rpm	33	53	8	31
5000 rpm	37	59	11	41
5500 rpm	41	66	15	56
WOT	44	71	17	64

202 FISHERMAN / STANDARDS

HULL AND DECK

- Anchor locker/storage
- Bow and Stern Eyes, stainless steel
- Bow floor storage
- Bow storage
- Cleats, stainless steel
- Fiberglass stringer
- Foam Flotation
- Gel scheme, all white
- Horn, stainless steel
- Ladder, boarding
- Meets applicable USCG & Canadian Regs; NMMA Certified using ABYC Stds.
- Navigation Lights
- Rod holders, gunnel mount
- Rub Rail, w/stainless steel insert
- Thru hull fittings, stainless steel

COCKPIT

- Bait well/live well
- Beverage holder(s)
- Cockpit Interior
Carbon Fiber, Cognac, Neutral w/ black accent, Seaside
- Courtesy Lights
- Deck lids w/stainless steel, latches gas assist
- Grab handles, stainless steel
- Leaning post
- Mechanical non-skid
- Rod storage, gunnel
- Seating, forward console
- Seating, rear folding bench
- Self bailing cockpit

HELM

- 12 volt receptacle
- Steering Wheel w/ knob, stainless steel

ENGINE / SYSTEMS

- Battery tray, w/ switch
- Bilge pump, automatic

CONSOLE

- Changing room
- Windscreen, console Removable

TRAILER

- Wellcraft custom trailer, tandem axle w/brakes Galv/Gatorhyde

202 FISHERMAN / OPTIONS

HULL AND DECK

- Anchor w/rope & chain
- Gel scheme, solid color hull or two-tone:
Crimson Red, Denim Blue, Jet Black, Liquid Blue, Phantom Grey, Seafoam Green
- Gel scheme, tri-tone:
Black/Atomic, Black/Passion Red, Black/White
- Rod holders, pair, *requires T-top (clamp on)
- Underwater lights

TOW SPORTS

- Ski Tow, removable pylon

COCKPIT

- Cockpit Reed Flooring, Ash or Dune
- Cooler, under leaning post (removable)
- Leaning post, backrest, removable/folding
- Transom cutting board w/tool Holders

ENTERTAINMENT

- Fusion Stereo:
AM/FM w/Bluetooth*, USB & MP3 port, Speakers

HELM

- Compass
- GPS plotter w/depth sounder

ENGINE / SYSTEMS

- Battery charger
- Battery charger w/trolling motor pre-wire
- Battery on/off switch
- Down rigger pre-wire
- Hydraulic steering (std on 150 hp and up)

- Hydraulic tilt steering (90 & 115 hp only)
- Raw water wash down
- Trim tabs
- Trolling motor pre-wire

CONSOLE

- Head, porta pottie (NA Canada)
- Head, pump-out

T-TOPS

- T-Top canvas enclosure

CANVAS

- Bimini Top (NA w/T-Top)
- Console cover

TRAILER

- EZ-loader aluminum w/brakes & spare
- Spare tire & wheel
- Wheels, aluminum

BOW SEATING PACKAGE

- Bow seat cushions

MAT PACKAGE

- Bow pads
- Coaming pad
- Head door pad
- Helm footrest mat

SCARAB OFFSHORE PACKAGE

- Mat package, helm floor and rod storage
- Scarab Offshore graphics
- Upgrade leaning post w/backrest

STAINLESS STEEL UPGRADE PACKAGE

- Grab handles
- Cleats-pull up
- Beverage holders
- Additional aft rod, beverage holders (2)

* Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine and propeller(s). Cruise range based on 95% of fuel capacity. All data is illustrative and is not warranted. This test was conducted with clean bottom, no bottom paint and light to average load.

* Specifications, options, and equipment are subject to change without notice.